



Front Loading Washing Machines

CSO4474TWMB6/1-S

ENVIRONMENTAL PROPERTIES OR CHARACTERISTICS

Product recyclability

Recycled material in the product

Rare earths in the product, contains
at least (mg)

Precious metals in the product,
contains at least (mg)

Recycled material in the packaging

Possibility of reusing packaging

OSNOVNE KARAKTERISTIKE

Naziv proizvoda / Kod CSO4474TWMB6/1-S

Šifra proizvoda 31019978

Bar kod 8059019082714

Ugradna / Samostojeća Samostojeća

Vrsta punjenja Prednje

Kapacitet pamuka (kg) - Novo (2010/30/EC) 7

Maksimalna brzina centrifuge (rpm) 1400

TEHNIČKE KARAKTERISTIKE

Motor Inverter

Materijal bubnja Nerđajući čelik

Zapremina bubnja (l) 48

| | |
|--|---|
| Vrsta utikača | Schuko |
| Napon (V) | 220-240 |
| Povezanost | Napredna tehnologija povezivanja i daljinske kontrole (Wi-Fi + Bluetooth) |
| lot Aplikacija | hOn aplikacija |
| PROGRAMI I FUNKCIJE | |
| Broj programa | |
| Odloženi start | Da (do 24h) |
| Vodena para | Da |
| Glavne karakteristike | Mix Power System+ |
| SPOLJAŠNJI IZGLED | |
| Boja uređaja | Bela |
| Boja / Materijal vrata | Crno |
| Boja / materijal ručke | |
| PERFORMANSE I POTROŠNJA | |
| Klasa energetske efikasnosti | A |
| Indeks efikasnosti centrifuge-sušenja | B |
| Izmerena potrošnja energije [100 ciklusa, eko 40-60] | 40 |
| Trajanje programa za procenjeni kapacitet | 3:28 |
| Potrošnja vode | 41 |
| Nivo buke centrifuge po klasifikaciji EN 60704-3 | 77 |
| Klasa emisije akustične buke | C |
| DIMENZIJE | |
| Visina proizvoda | 85 |
| Širina | 60 |
| Dubina proizvoda | 45 |
| Cabinet depth mm (without pipes and door) | 400 |
| Visina upakovanog uređaja (mm) | 890 |
| Širina upakovanog uređaja (mm) | 650 |

| | |
|----------------------------------|-----|
| Dubina upakovanog proizvoda (mm) | 480 |
| Neto težina (kg) | 59 |
| Bruto težina (kg) | 61 |